

CASE* spec


With Case Spec it's easy to get a specification tailored to your project! Just review the following options, choosing only one option from each category. Should you need more than one set of options for a single project, please use a separate form for each set. When finished, completely fill in the project information and return it to your Case Systems representative or fax it to (517) 496-9926. We will promptly return a specification in CSI format, specific to your project.

Standard construction features are indicated by a circle (A). Optional features are indicated by a square (B) and may require price adjustments.

Case systems reserves the right to modify these specifications without notice or obligations.

PROJECT INFORMATION

Project Name: _____			
Dealer Name: _____		Contact: _____	
Type of Project:	<input type="checkbox"/> K-12 School	<input type="checkbox"/> College/University	<input type="checkbox"/> Hospital/Medical
	<input type="checkbox"/> Laboratory	<input type="checkbox"/> Administrative	<input type="checkbox"/> Other
Architect: _____			
Address: _____			
City: _____	State _____	Zip _____	
Telephone: _____	Fax: _____	E-Mail: _____	
Spec to be provided in:	<input type="checkbox"/> Electronic Format (specify word processing software and version) _____		
	<input type="checkbox"/> Written Format		



SPECIFICATION KEY


Refer to the details on the following pages for a complete description of available options.

1 HINGE STYLE/CABINET DESIGN

All hinges are heavy-duty, commercial grade. Residential, kitchen-type pivot, plain butt, or hinges with removable pins are **not acceptable**.

A 5 Knuckle/Reveal Overlay


Utilizes our steel, 5 knuckle hospital-tip, institutional grade hinge with tight pin.



Hinge Colors:
black
light beige
powder coated chrome

B 5 Knuckle/Full Overlay


Utilizes our steel, 5 knuckle, hospital-tip, institutional grade hinge with tight pin. Hinge knuckle is inset flush with the outside of the door edge.



Hinge Colors:
black
light beige
powder coated chrome

C 3 Knuckle


Utilizes our nickel-plated, semi-concealed, self-closing, 3 knuckle hinge with six way adjustment. Hinge knuckle is inset flush with the outside of the door edge. Lifetime warranty provided by hinge manufacturer.



Hinge Color:
low luster silver

D Concealed


Utilizes our fully concealed, self-closing, 170° swing, European style hinge with six way adjustment. Lifetime warranty provided by hinge manufacturer.



Hinge Color:
low luster silver

E Concealed with Postformed Doors

Utilizes our fully concealed, self-closing, 170° swing, European style hinge with six way adjustment. Lifetime warranty provided by hinge manufacturer. Doors (and drawer heads) feature postformed vertical edges. Horizontal edges must be specified in item 3.



Hinge Color:
low luster silver

2 CABINET FACE

A **Thermally Fused Laminate**

All interior and exterior surfaces laminated with thermally fused laminate that meets or exceeds the performance standards for NEMA LD3-1995 for GP-28. All balanced construction.

Colors:
white
light beige
greystone

B **Vertical Grade High-Pressure Laminate**

All door and drawer fronts, finished end panels, and exposed exterior backs shall be surfaced with .028" thick high-pressure laminate conforming to NEMA LD3-1995 for GP-28. All balanced construction.

Colors:
Wide range of manufacturers' standards

C **Custom Laminate**

Have a special requirement? Ask your Case Systems' dealer about additional laminate colors and options.


3 DOOR/DRAWER EDGING

Durable, impact resistant PVC edges are machine applied utilizing waterproof hot melt adhesive.

NOTE: High pressure laminate edging (self edge) is NOT offered as an option.

A **0.5mm (.020") PVC-Commercial Match**


Commercially matched 0.5mm PVC is available for most solid colors and some patterned face laminates.



Colors:
Wide range of manufacturers' standards

B **3mm PVC**

Choose from Case Systems' 22 standard PVC colors. Edges and corners are radiused by automatic trimmers to provide a smooth, safe edge.



Colors:

white	pepperdust	formal mahogany
greystone	mauve blush	burgundy
haze	hardrock maple	victorian teal
taupe	light beige	brittany blue
hunter green	surf white	natural oak
slate grey	clay	marine blue
platinum	black	oiled cherry
shadow blue		


4 CABINET BODY FRONT EDGING

Durable, impact resistant PVC edges are machine applied utilizing waterproof hot melt adhesive.

NOTE: High pressure laminate edging (self edge) is NOT offered as an option.

A 0.5mm (.020") PVC-Commercial Match

Commercially matched 0.5mm PVC is available for most solid colors and some patterned face laminates.



Colors:
Wide range of manufacturers' standards

B 3mm PVC-22 Standard Colors

Choose from Case Systems' 22 standard PVC colors. Edges and corners are radiused by automatic trimmers to provide a smooth, safe edge.



Colors:


white	pepperdust	formal mahogany
greystone	mauve blush	burgundy
haze	hardrock maple	victorian teal
taupe	light beige	brittany blue
hunter green	surf white	natural oak
slate grey	clay	marine blue
platinum	black	oiled cherry
shadow blue		

5 PULL STYLE

We offer a wide variety of pull options. Have a special requirement? Just ask.


A 96mm Anodized Aluminum Pull

5/16" diameter bow pull mechanically fastened to fronts.



Color:
Aluminum


B 96mm Plastic Bow Pull



Colors:

white	shadow blue	clay
greystone	pepperdust	black
haze	mauve blush	burgundy
taupe	hardrock maple	victorian teal
hunter green	light beige	brittany blue
slate grey	surf white	marine blue
platinum		


C Surface Mount Plastic Contour Pull



Colors:
black
light beige
greystone

D 96mm Brass Core Wire Pull

Solid brass core with your choice of finishes listed at right.



Colors:
brushed chrome
polished chrome
brushed brass
polished brass

6 EXPOSED INTERIOR

This category covers open cabinets and cabinets with glazed doors.

A **Thermally Fused Laminate**

Thermally fused laminate meets or exceeds the performance standards for NEMA LD3-1995 for GP-28.

Colors:
white
light beige
greystone

B **Vertical Grade High-Pressure Laminate**

Exposed interiors shall be surfaced with .028" thick high-pressure laminate conforming to NEMA LD3-1995 for GP-28. All balanced construction.

Colors:
Wide range of manufacturers' standards

C **Custom Laminate**

Have a special requirement? Ask your Case Systems' dealer about additional laminate colors and options.

7 CLOSED INTERIOR

This category covers all closed cabinets.

A **Thermally Fused Laminate**

Thermally fused laminate meets or exceeds the performance standards for NEMA LD3-1999 for GP-28.

Colors:
white
light beige
greystone

8 EXPOSED ENDS

A **Thermally Fused Laminate**

Matches interior laminate color.

Colors:
white
light beige
greystone

B **Vertical Grade High-Pressure Laminate**

Exposed ends shall be surfaced with .028" thick high-pressure laminate conforming to NEMA LD3-1995 for GP-28. All balanced construction.

Colors:
Wide range of manufacturers' standards

C **Custom Laminate**

Have a special requirement? Ask your Case Systems' dealer about additional laminate colors and options.

9 WALL UNIT BOTTOM

A **Thermally Fused Laminate**

Matches interior laminate color.

Colors:
white
light beige
greystone

Continued on next page...

9 WALL UNIT BOTTOM (Continued)

B Vertical Grade High-Pressure Laminate

Wall unit bottoms shall be surfaced with .028" thick high-pressure laminate conforming to NEMA LD3-1995 for GP-28. All balanced construction.

Colors:

Wide range of manufacturers' standards

C Custom Laminate

Have a special requirement? Ask your Case Systems' dealer about additional laminate colors and options.

10 DRAWER SLIDES

Self-closing, bottom mount drawer slides are epoxy-coated and feature captive roller and positive in-stop. Lifetime warranty is provided by slide manufacturer.

A Standard 3/4 Extension For Standard Drawer

All drawers except file drawers are provided with standard slides. File drawers are provided with full-extension slides. 150 lb. load rating.

B Full Extension For All Drawers

All drawers provided with epoxy-coated full extension drawer slides. 150 lb. load rating.

11 ADJUSTABLE SHELF EDGES

PVC edges are machine applied utilizing waterproof hot melt adhesive. 3mm edges and corners are radiused by automatic trimmers to provide a smooth, safe edge. **NOTE:** No high pressure laminate edging (self edge) will be provided.

A 0.5mm (.020") PVC-Front Edge Only

B 0.5mm (.020") PVC-Front/Back Edges Only

C 0.5mm (.020") PVC-All Edges

D 3mm PVC-Front Edge Only

E 3mm PVC-Front/Back Edges Only

F 3mm PVC-All Edges

Colors:

Wide range of manufacturers' standards

Colors:

white	pepperdust	formal mahogany
greystone	mauve blush	burgundy
haze	hardrock maple	victorian teal
taupe	light beige	brittany blue
hunter green	surf white	natural oak
slate grey	clay	marine blue
platinum	black	oiled cherry
shadow blue		

12 ADJUSTABLE SHELF THICKNESS

A 3/4" Thick-Standard

1" in open cabinets and units over 33" wide except specific applications such as folio storage, mailbox cubbies, etc.

B 1" Thick

1" in all units except specific applications such as folio storage, mailbox cubbies, etc.

13 TOE BASE

Standard base height of 96mm (3-3/4") with 46mm (1-7/8") deep toe kick. Cabinet base allows for proper leveling of cabinet.

A Particleboard Base-Individual, Factory Applied

Base provides each cabinet with full support of end panel and bottom. An extra center support, front to back, is provided for all cabinets over 30" wide. Base is slightly inset to allow for a tight cabinet fit and the application of vinyl base moulding.

B Exterior Grade Plywood-Individual, Factory Applied

Base provides each cabinet with full support of end panel and bottom. An extra center support, front to back, is provided for all cabinets over 30" wide. Base is slightly inset to allow for a tight cabinet fit and the application of vinyl base moulding.

C Pressure Treated Plywood Bases-Individual, Factory Applied

D Custom Base

Have a special requirement? Ask your Case Systems' dealer about special options.

E Exterior Grade Plywood-Ladder Base, Field Installed

14 GLAZED DOOR MATERIAL

A Clear Acrylic

1/4" thick

B Clear Laminated Safety Glass

1/4" thick laminated safety glass

C Clear Tempered Glass

1/4" thick tempered

15 MOBILE CABINET TOP COLOR

A Plastic Laminate To Match Mobile Cabinet Face Color with 3mm PVC Edge Band

Edge Band Colors:

white	pepperdust	formal mahogany
greystone	mauve blush	burgundy
haze	hardrock maple	victorian teal
taupe	light beige	brittany blue
hunter green	surf white	natural oak
slate grey	clay	marine blue
platinum	black	oiled cherry
shadow blue		

B Plastic Laminate To Match Room Plastic Laminate Countertop Color with 3mm PVC Edge Band

Edge Band Colors:

white	pepperdust	formal mahogany
greystone	mauve blush	burgundy
haze	hardrock maple	victorian teal
taupe	light beige	brittany blue
hunter green	surf white	natural oak
slate grey	clay	marine blue
platinum	black	oiled cherry
shadow blue		

16 LOCKS/KEYING

All locks are chrome finished five disc tumbler cam locks. Lock core is removable with control key, permitting owner to easily change lock arrangements without tools. Locks provided where indicated on drawings.

A Locks Not Required

No locks required on this project.

B All Locks Keyed Alike

All locks keyed on this project are keyed alike.

C Locks Keyed Alike By Room

All locks within a given room are keyed alike with a single master.

D All Locks Keyed Individually

Every lock on this project is keyed individually. There are 166 keying options available with a single master.

E All Locks Keyed By Group

Every lock on this project is keyed by group with a single master.

17 COUNTERTOPS BY CASE SYSTEMS

A 1-1/8" Overall Thickness

1" M-3 particleboard core for a 1-1/8" overall thickness

B 1-3/16" Overall Thickness

1-1/8" M-3 particleboard core for a 1-3/16" overall thickness

18 EDGE OPTIONS

A 3mm in 22 Matching Colors

B Self Edge Matching Laminate

Edge Band Colors:

white	pepperdust	formal mahogany
greystone	mauve blush	burgundy
haze	hardrock maple	victorian teal
taupe	light beige	brittany blue
hunter green	surf white	natural oak
slate grey	clay	marine blue
platinum	black	oiled cherry
shadow blue		

19 ENDSPLASH AND BACKSPLASH

A Match The Countertop Thickness

B 3/4" Thick

C 1-1/8" Overall Thickness

1" M-3 particleboard core for a 1-1/8" overall thickness.

D 1-3/16" Overall Thickness

1-1/8" M-3 particleboard core for a 1-3/16" overall thickness.